## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

## **LISTING OF CLAIMS**

- 1. (Currently Amended) A device comprising:
- a base plate;
- a display plate disposed opposite the base plate with a liquid crystal therebetween:
  - a transflective layer formed on a liquid crystal side of the base plate;
  - a plurality of electrodes formed on the transflective layer;
  - a first lyophilic film formed of a lyophilic material provided on the electrodes;
- a first functional film <u>formed of a liquid material including a resin</u> provided on the first lyophilic film, the first lyophilic film planarizing the first function film;
  - a color filter formed on a liquid crystal side of the display plate;
  - a second lyophilic film formed of the lyophilic material provided on the color filter;
- a second functional film <u>formed of the liquid material including the resin provided</u> on the second lyophilic film, the second lyophilic film planarizing the second functional film;
  - another plurality of electrodes formed on the second functional film;
- a third lyophilic film formed of the lyophilic material provided on the another plurality of electrodes; and
- a third functional film <u>formed of the liquid material including the resin</u> provided on the third lyophilic film, the third lyophilic film planarizing the third functional film;

wherein each of the lyophilic films have a lyophilic property relative to [[a]] the liquid forming material including the resin used for forming each of the functional films.

- 2. (Previously Presented) The device according to Claim 1, wherein each of the lyophilic films further comprise a plasma treated lyophilic film forming material which is treated under at least one of atmospheric pressure and a reduced pressure.
- 3. (Previously Presented) The device according to Claim 1, wherein each of the lyophilic films further comprises an electromagnetic wave irradiated lyophilic film forming material which is irradiated under at least one of atmospheric pressure and a reduced pressure.
- 4. (Original) The device according to Claim 3, wherein said electromagnetic wave further comprises an ultraviolet ray.
- 5. (Currently Amended) A manufacturing method of a device comprising:

providing a base plate;

providing a display plate opposite to the base plate;

forming a transflective layer on the base plate;

forming a plurality of electrodes on the transflective layer;

depositing a first lyophilic film on the electrodes;

providing a first functional film <u>formed of a liquid material including a resin</u> on the first lyophilic film, the first lyophilic film planarizing the first function film;

forming a color filter on the display plate;

forming a second lyophilic film on the color filter;

forming a second functional film <u>formed of the liquid material including the resin</u>
on the second lyophilic film, the second lyophilic film planarizing the second function
film;

forming another plurality of electrodes on the second functional film;
forming a third lyophilic film on the another plurality of electrodes; and
forming a third functional film formed of a liquid material including the resin on the
third lyophilic film, the third lyophilic film planarizing the third function film; and
disposing a liquid crystal between the base plate and the display plate;
wherein each of the lyophilic films have a lyophilic property relative to a liquid
forming material used for forming the functional films.

- 6. (Previously Presented) The manufacturing method of a device according to Claim 5, wherein said steps of forming said lyophilic films further comprise performing plasma treatment on a lyophilic film forming material used to form the lyophilic films under at least one of atmospheric pressure and a reduced pressure.
- 7. (Previously Presented) The manufacturing method a device according to Claim 5, wherein said steps of forming said lyophilic films further comprise irradiating

a lyophilic film forming material used to form the lyophilic film with an electromagnetic wave under at least one of atmospheric pressure and a reduced pressure.

- 8. (Original) The manufacturing method of a device according to Claim 7, wherein said electromagnetic wave further comprises an ultraviolet ray.
- 9. (Original) An electronic instrument comprising the device according to Claim 1.
- 10. (Original) An electronic instrument comprising the device manufactured by the method according to Claim 5.
- 11. (Currently Amended) The method device according to Claim 1, wherein the lyophilic material is a hydrocarbon polymerized film.